

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 27/05/2014 Revision date: 19/06/2017 Supersedes: 2/02/2016 Version: 3.0

SECTION 1: Identification of the s	ubstance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: ATF VIII
Product code	: 32171
Product group	: Blend
1.2. Relevant identified uses of the su	ubstance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Industrial use, Professional use, Consumer use
Industrial/Professional use spec	: Non-dispersive use Used in closed systems
Function or use category	: Lubricants and additives
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the safe Oman Lubricants Mandenmakerstraat 21-25 2984 AS Ridderkerk The Netherlands T 0031 (0)10-4140046 info@oman-lubricants.nl - www.oman-lubricants.nl - www.oman-lubric	
Emergency number	: +32 14 58 45 45 (NL/EN/FR/DE)
SECTION 2: Hazards identification	
SECTION 2: Hazards identification 2.1. Classification of the substance o	r mixture
SECTION 2: Hazards identification	r mixture
SECTION 2: Hazards identification 2.1. Classification of the substance o Classification according to Regulation (EC	n r mixture C) No. 1272/2008 [CLP]
SECTION 2: Hazards identification 2.1. Classification of the substance o Classification according to Regulation (EC Hazardous to the aquatic environment — Chr	n r mixture C) No. 1272/2008 [CLP]
SECTION 2: Hazards identification 2.1. Classification of the substance o Classification according to Regulation (EC	n r mixture C) No. 1272/2008 [CLP]
SECTION 2: Hazards identification 2.1. Classification of the substance o Classification according to Regulation (EC Hazardous to the aquatic environment — Chr	r mixture C) No. 1272/2008 [CLP] Pronic Hazard, Category 3 H412
SECTION 2: Hazards identification 2.1. Classification of the substance of Classification according to Regulation (EC Hazardous to the aquatic environment — Chr Full text of H statements : see section 16 Adverse physicochemical, human health a	r mixture C) No. 1272/2008 [CLP] Pronic Hazard, Category 3 H412
SECTION 2: Hazards identification 2.1. Classification of the substance of Classification according to Regulation (EC Hazardous to the aquatic environment — Chr Full text of H statements : see section 16 Adverse physicochemical, human health a No additional information available	r mixture c) No. 1272/2008 [CLP] onic Hazard, Category 3 H412 and environmental effects . 1272/2008 [CLP] : - : H412 - Harmful to aquatic life with long lasting effects : P273 - Avoid release to the environment
SECTION 2: Hazards identification 2.1. Classification of the substance of Classification according to Regulation (EC Hazardous to the aquatic environment — Chr Full text of H statements : see section 16 Adverse physicochemical, human health a No additional information available 2.2. Label elements Labelling according to Regulation (EC) No Signal word (CLP) Hazard statements (CLP)	r mixture c) No. 1272/2008 [CLP] ronic Hazard, Category 3 H412 and environmental effects . 1272/2008 [CLP] . H412 - Harmful to aquatic life with long lasting effects
SECTION 2: Hazards identification 2.1. Classification of the substance of Classification according to Regulation (EC Hazardous to the aquatic environment — Chr Full text of H statements : see section 16 Adverse physicochemical, human health a No additional information available 2.2. Label elements Labelling according to Regulation (EC) No Signal word (CLP) Hazard statements (CLP) Precautionary statements (CLP) EUH-statements	<pre>n mixture c) No. 1272/2008 [CLP] onic Hazard, Category 3 H412 and environmental effects . 1272/2008 [CLP] H412 - Harmful to aquatic life with long lasting effects . P273 - Avoid release to the environment P501 - Dispose of contents/container in accordance with local/regional/national/international regulations . EUH208 - Contains 4,4'-thiodiethylene hydrogen -2-octodecenylsuccinate. May produce an</pre>
SECTION 2: Hazards identification 2.1. Classification of the substance of Classification according to Regulation (EC Hazardous to the aquatic environment — Chr Full text of H statements : see section 16 Adverse physicochemical, human health a No additional information available 2.2. Label elements Labelling according to Regulation (EC) No Signal word (CLP) Hazard statements (CLP) Precautionary statements (CLP)	<pre>n mixture c) No. 1272/2008 [CLP] onic Hazard, Category 3 H412 and environmental effects . 1272/2008 [CLP] H412 - Harmful to aquatic life with long lasting effects . P273 - Avoid release to the environment P501 - Dispose of contents/container in accordance with local/regional/national/international regulations . EUH208 - Contains 4,4'-thiodiethylene hydrogen -2-octodecenylsuccinate. May produce an</pre>

SECTIO	ECTION 3: Composition/information on ingredients		
3.1.	Substance		
Not appli	cable		
3.2.	Mixture		

ATF VIII Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil- based	(CAS No) 72623-87-1 (EC no) 276-738-4 (EC index no) 649-483-00-5 (REACH-no) 01-2119474889-13	25 - 50	Asp. Tox. 1, H304
Baseoil - unspecified	(CAS No) 72623-86-0 (EC no) 276-737-9 (EC index no) 649-482-00-X (REACH-no) 01-2119474878-16	1 - 2,49	Asp. Tox. 1, H304
Isooctadecanoic acid, reaction products with tetraethylenepentamine	(EC no) 272-225-4 (REACH-no) 01-2119960832-33	0,1 - 0,49	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Thiophene, tetrahydro-, 1, 1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	(CAS No) 398141-87-2 (EC no) 800-172-4 (REACH-no) 01-2119969520-35	0,1 - 0,49	Aquatic Chronic 2, H411
Reaction product of alkylthioalcohol and substituted phosphorus compound	(EC no) 424-820-7 (REACH-no) 01-0000017126-75	0,1 - 0,24	Acute Tox. 4 (Dermal), H312 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
4,4'-thiodiethylene hydrogen -2-octodecenylsuccinate	(EC no) 299-434-3	0,1 - 0,24	Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411

Full text of H-statements: see section 16

SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures after inhalation	: Not expected to require first aid measures.		
First-aid measures after skin contact	: Wash skin with mild soap and water.		
First-aid measures after eye contact	: In case of eye contact, immediately rinse with clean water for 10-15 minutes.		
First-aid measures after ingestion	: Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.		
4.2. Most important symptoms and effe	-		
Symptoms/injuries after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal		
Symptoms/injunes alter initialation	USE.		
Symptoms/injuries after skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.		
Symptoms/injuries after eye contact	: Not expected to present a significant eye contact hazard under anticipated conditions of normal		
	use.		
Symptoms/injuries after ingestion	 Not expected to present a significant ingestion hazard under anticipated conditions of normal use. 		
4.3. Indication of any immediate medic	al attention and special treatment needed		
No additional information available			
SECTION 5. Eirofighting macaures			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Water fog. Foam. Powder. Dry chemical product.		
Unsuitable extinguishing media	: Do not use a heavy water stream.		
5.2. Special hazards arising from the substance or mixture			
No additional information available			
5.3. Advice for firefighters			
Precautionary measures fire	: Exercise caution when fighting any chemical fire.		
Firefighting instructions	: Use water spray or fog for cooling exposed containers.		
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.		
SECTION 6: Accidental release me	asures		
	equipment and emergency procedures		
6.1.1. For non-emergency personnel	More estable estadion della estadione		
Protective equipment	: Wear suitable protective clothing and gloves.		
6.1.2. For emergency responders			
Protective equipment	: Wear suitable protective clothing and gloves.		
6.2. Environmental precautions			
Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.			
י וסיסות סותי לס סטייסיס מות בשטויט שמנסיס. ויוסותי מעוויסותוסס וו בויסטעטו כותכוס סבשכוס טו בעטווט שמנכוס.			

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.3. Methods and material for containm	8. Methods and material for containment and cleaning up		
For containment Methods for cleaning up Other information	 Impound and recover large spill by mixing it with inert granular solids. Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr. Spill area may be slippery. Use suitable disposal containers. 		
6.4. Reference to other sections No additional information available			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	: Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.		
Handling temperature	: <40 °C		
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.		
7.2. Conditions for safe storage, includ	ing any incompatibilities		
Storage temperature	: <40 °C		
Storage area	: Store in dry, cool, well-ventilated area.		
7.3. Specific end use(s)			
No additional information available			
SECTION 8: Exposure controls/pers	sonal protection		
8.1. Control parameters			

Additional information

: 5 mg/m3 for oil mists (TWA, 8h-workday) recommended, based upon the ACGIH TLV (Analysis according to US NIOSH Method 5026, NIOSH Manual of Analytical Methods, 3rd Edition).

8.2. Exposure controls

Personal protective equipment:

Safety glasses. Gloves.

Hand protection:

Permeation time: minimum >480min long term exposure; material / thickness [mm]: >0,35 mm. Nitrile rubber (NBR) /

Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.



SECTION 9: Physical and chemical properties		
9.1. Information on basic physical a	d chemical properties	
Physical state	: Liquid	
Appearance	: Oily liquid.	
Colour	: Green.	
Odour	: No data available	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: > 150 °C @ ASTM D92	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	

ATF VIII Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 845 kg/m³ @15°C
Solubility	: Slightly soluble, the product remains on the water surface.
Log Pow	: No data available
Viscosity, kinematic	: 31 mm²/s @ 40°C
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
None u	nder normal conditions.
10.2.	Chemical stability
Stable u	under normal conditions.
10.3.	Possibility of hazardous reactions
None u	nder normal conditions.
10.4.	Conditions to avoid
No data	available.
10.5.	Incompatible materials
Strong	oxidizers. acids. Bases.
10.6.	Hazardous decomposition products
Nonou	ader normal conditions

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
	: Not classified	
Reaction product of alkylthioalcohol and substituted phosphorus compound		
LD50 oral	> 2000 mg/kg 67/548/EEG Annex V,B1	
LD50 dermal	> 500 mg/kg 67/548/EEG AnnexV, B3	
4,4'-thiodiethylene hydrogen -2-octodecenyls	uccinate	
LD50 oral	> 10000 mg/kg	
Isooctadecanoic acid, reaction products with	tetraethylenepentamine	
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: Not classified	
Isooctadecanoic acid, reaction products with tetraethylenepentamine		
NOAEL (oral, rat)	> 1000 mg/kg bodyweight OECD 421	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	
ATF VIII		
Viscosity, kinematic	31 mm²/s @ 40°C	
19/06/2017	EN (English) 4/8	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environme
Reaction product of alkylthioalcohol and su	bstituted phosphorus compound
LC50 fish 1	1,5 mg/l OECD203 - Oncorhynchus mykiss
EC50 Daphnia 1	0,09 mg/l OECD 202 - EL50
EC50 72h algae (1)	0,31 mg/l 67/548/EEG Annex V,C3
NOEC (chronic)	0,14 (0,01 - 0,1) mg/l Daphnia
4,4'-thiodiethylene hydrogen -2-octodeceny	Isuccinate
LC50 fish 1	> 1000 mg/l 96h Cyprinodon variegatus - OECD 203
LC50 fish 2	> 100 mg/l 96h Oryzias latipes - OECD 203
EC50 Daphnia 1	9,5 mg/l OECD 202
EC50 other aquatic organisms 1	> mg/l
EC50 72h algae (1)	> 100 mg/l Pseudokirchneriella subscapitata - OECD 201
Isooctadecanoic acid, reaction products wit	h tetraethylenepentamine
LC50 fish 1	> 1000 mg/l OECD 203
EC50 Daphnia 1	> 1000 mg/l OECD 202
12.2 Devoictore and de made billo	
12.2. Persistence and degradability	
ATF VIII	
Persistence and degradability	Not soluble in water, so only minimally biodegradable.
Reaction product of alkylthioalcohol and su	
Persistence and degradability	Not readily biodegradable.
Biodegradation	52,9 % @60d - OECD 301B - 10mg/l
4,4'-thiodiethylene hydrogen -2-octodeceny	
Persistence and degradability	Not readily biodegradable.
Biodegradation	11 - 14 % OECD 301
Isooctadecanoic acid, reaction products wit	h tetraethylenepentamine
Persistence and degradability	Readily biodegradable.
Thiophene, tetrahydro-, 1, 1-dioxide, 3-(C9-1	1-isoalkyloxy) derivs., C10-rich (398141-87-2)
Persistence and degradability	Not readily biodegradable.
12.3. Bioaccumulative potential	
Reaction product of alkylthioalcohol and su	bstituted phosphorus compound
Bioaccumulative potential	Potential to bioaccumulate.
4,4'-thiodiethylene hydrogen -2-octodecenyl	
Bioaccumulative potential	Potential to bioaccumulate.
•	
Bioaccumulative potential	1-isoalkyloxy) derivs., C10-rich (398141-87-2) Potential to bioaccumulate.
•	
12.4. Mobility in soil	
Reaction product of alkylthioalcohol and su	
Ecology - soil	Adsorbs into the soil.
Baseoil - unspecified (72623-86-0)	
Ecology - soil	Adsorbs into the soil.
4,4'-thiodiethylene hydrogen -2-octodeceny	Isuccinate
Ecology - soil	Adsorbs into the soil.
Thiophene, tetrahydro-, 1, 1-dioxide, 3-(C9-1	1-isoalkyloxy) derivs., C10-rich (398141-87-2)
Ecology - soil	Adsorbs into the soil.
12.5. Results of PBT and vPvB assessme	
No additional information available	
12.6. Other adverse effects	

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 13: Disposal consider	ations
13.1. Waste treatment methods	
Additional information	: Dispose in a safe manner in accordance with local/national regulations.
SECTION 14: Transport informa	
n accordance with ADR / RID / IMDG / IAT	ΓΑ / ADN
14.1. UN number	
JN-No. (ADR)	: Not applicable
JN-No. (IMDG)	: Not applicable
JN-No. (IATA)	: Not applicable
JN-No. (ADN)	: Not applicable
JN-No. (RID)	: Not applicable
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: Not applicable
IMDG	
Transport hazard class(es) (IMDG)	: Not applicable
ATA	
Transport hazard class(es) (IATA)	: Not applicable
ADN	
Transport hazard class(es) (ADN)	: Not applicable
RID	
Transport hazard class(es) (RID)	: Not applicable
4.4. Packing group	
Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available
4.6 Special precautions for user	

14.6. Special precautions for user

- Overland transport
- No data available

- Transport by sea No data available

- Air transport

No data available

- Inland waterway transport

No data available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

- Rail transport

No data available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National regulations

VwVwS Annex reference : Water hazard class (WGK) 1, low hazard to waters (Classification according to VwVwS, Annex 4) 12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance) Netherlands : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance) SZW-lijst van kankerverwekkende stoffen : Isooctadecanoic acid, reaction products with tetraethylenepentamine is listed SZW-lijst van mutagene stoffen : Isooctadecanoic acid, reaction products with tetraethylenepentamine is listed NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

 NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid
 : None of the components are listed

 NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling
 : None of the components are listed

Denmark

Germany

Recommendations Danish Regulation

: Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: Other information

ndication of chang Section	Changed item	Change	Comments
2.2	Label elements	Modified	
3.2	Composition/information on ingredients	Modified	

 ACGIH: American Conference of Governmental Industrial Hygienists				
,,,				
TWA: Time Weighted Average				
TLV: Threshold Limit Value				
ASTM: American Society for Testing and Materials				
ADR: Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route				
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail				
ADNR: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin				
IMDG: International Maritime Dangerous Goods				
ICAO: International Civil Aviation Organization				
IATA: International Air Transport Association				
STEL: Short Term Exposure Limit				
LD50: median Lethal Dose for 50% of subjects				
ATE: acute toxicity estimate				
LC50: median Lethal Concentration for 50% of subjects				
 EC50: concentration producing 50% effect				

ATF VIII Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other information	:	The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product this MSDS information may not be applicable.
		another product, this MSDS information may not be applicable.

Full text of H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, Category 1
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
EUH208	Contains . May produce an allergic reaction

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product